

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	16	(IP adj address) with (device near2 name) with type with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:00
S3	2	"20030154268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:09
S4	16	(IP adj address) with (device near2 name) with type with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 10:11
S6	8082663	type model name kind style version id identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:40
S7	2013246	recognition identify id indentif\$5 recogn\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 10:36
S8	10983612	((communication comm) adj (device)) cell phone router pda palm gateway printer computer server scanner copier laptop client host device pager machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:40
S9	1661571	check\$5 verif\$5 confirm\$4 authenticat\$4 validat\$4 judg\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 10:37
S10	5433439	table list column row catalog directory inventory group array vector file database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 10:40
S11	8629140	condition criteria feature function principle tag flag specs model type design version revision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:04

S14	146499	S6 with S7 with S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:54
S15	33492	S8 with S9 with S6 with S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:14
S16	191938	S7 same S10 same S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:03
S17	6392	S14 and S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:03
S18	10162	(709/212,216,217,224,223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/05 12:04
S19	345	S18 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:04
S20	8082663	type model name kind style version id identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:18
S21	2013246	recognition identify id indentif\$5 recogn\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:39
S22	10983612	((communication comm) adj (device)) cell phone router pda palm gateway printer computer server scanner copier laptop client host device pager machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:18
S23	1661571	check\$5 verif\$5 confirm\$4 authenticat\$4 validat\$4 judg\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:18

S24	5433439	table list column row catalog directory inventory group array vector file database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:18
S25	8629140	condition criteria feature function principle tag flag specs model type design version revision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:41
S26	4785	(S20 and S21 and S22 and S23 and S24 and S25).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:31
S27	10162	(709/212,216,217,224,223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/05 16:37
S28	187	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:37
S29	2	"6674767".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:37
S30	8840900	image picture jpg gif drawing sketch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:54
S31	969	(S20 and S21 and S22 and S23 and S24 and S25 and S30).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:57
S32	6603	(S20 and S21 and S22).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:59
S33	77481	(S20 and S21 and S22).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:57

S35	354737	(S20 and S21 and S22 and S23 and S24 and S25 and S30)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:57
S37	33184	S20 same S21 same S22 same S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:06
S38	9698	S20 with S21 with S22 with S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:22
S39	2	"20010039578".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:09
S40	4193	S38 and (S32 S33)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:10
S41	551	S38 and (S32 S33) and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:21
S42	133	S38 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:23
S43	628628	identify indentif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:41
S44	10983612	((communication comm) adj (device)) cell phone router pda palm gateway printer computer server scanner copier laptop client host device pager machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:40
S45	6933000	type model name brand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:40

S46	8840900	image picture jpg gif drawing sketch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:40
S47	10162	(709/212,216,217,224,223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/06 09:40
S48	5918489	condition criteria feature function specifications version revision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:41
S49	5433439	table list column row catalog directory inventory group array vector file database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:41
S50	5523	(S43 near5 S44) with S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:41
S51	313432	S48 and S49 and S46 and S45 and S44 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:42
S52	404303	(S43 and S44 and S45)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:43
S53	90865	(knowledge near base) (tech near net) ((tech support expert) near system) TechNet (tech near support)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:47
S54	76	S50 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:48
S55	47871	("714").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/06 09:48

S56	57540	S47 S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:17
S57	99	S50 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:39
S58	1	"6883118".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:39
S59	1530763	client user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:41
S60	2319024	identify indentif\$5 detect query probe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:45
S61	7148	S59 near5 S60 near5 S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:55
S62	16024	S59 with S60 with S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:46
S63	528	S61 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:01
S64	183	S61 with S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:55
S65	439	S61 same S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:55

S66	6	S64 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:56
S67	16	S65 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:56
S68	22063297	@ad<"20020212" @rlad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:01
S69	458	S63 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:48
S70	1661571	check\$5 verif\$5 confirm\$4 authenticat\$4 validat\$4 judg\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:43
S71	50016	S59 same S45 same S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:44
S72	268882	S45 same S48 same S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:44
S73	9262	S46 same S44 same S43 same S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:44
S74	983	S72 and S73 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:48
S75	61	S68 and S56 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:14

S76	2319024	identify indentif\$5 detect query probe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:11
S77	5918489	condition criteria feature function specifications version revision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:11
S78	1530763	client user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:11
S79	5433439	table list column row catalog directory inventory group array vector file database (data adj (base bank store)) repository datastore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:11
S80	6933000	type model name brand	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:11
S81	282	((S76 near5 S78 near5 S77) with S80) and (S77 with S79 with S80)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:15
S82	10162	(709/212,216,217,224,223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/06 16:17
S83	47871	("714").CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/06 16:17
S84	57540	S82 S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:17
S85	30	S84 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:17

S86	1661571	check\$5 verif\$5 confirm\$4 authenticat\$4 validat\$4 judg\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:20
S87	268882	S79 same S80 same S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:20
S88	32579	S86 same S76 same S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:21
S89	10983612	((communication comm) adj (device)) cell phone router pda palm gateway printer computer server scanner copier laptop client host device pager machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:21
S90	633782	S89 with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:26
S91	22063297	@ad<"20020212" @rlad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:29
S92	812	S87 and S88 and S90 and S84 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:29
S94	174051	S76 near5 S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:37
S95	542589	(S77 S86) near5 S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:37
S96	405198	(S80) near5 S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:38

S97	14673431	device system unit processor program code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:39
S98	8208591	monitor status condition operation health	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:40
S99	1890255	S97 near5 S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:41
S100	425353	S98 near5 S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
S101	409194	S86 near5 S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
S102	606870	S76 near5 S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:42
S103	8718	S94 and S95 and S96 and S99 and S100 and S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:57
S104	7264	S103 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:56
S105	246	S92 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:01
S106	10	("6470464" "6349335" "20020073195" "20030028825" "6327677"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:02

S10 7	9	"6678639"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:11
S10 8	2	"20030028825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:12
S10 9	2	"20040078727"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 0	8843699	image picture jpg gif drawing sketch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 1	2	"20040078727"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 2	2	S111 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 17:33
S11 3	2	"20040078727"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:45